THEORETICAL AND APPLIED GENETICS

International Journal of Plant Breeding Research

Volume 97 · 1998

Managing Editor

G. Wenzel, Freising

Editorial Board

L. Alföldi, Szeged
H. C. Becker, Göttingen
J. S. Beckmann, Paris
B. S. Gill, Manhatten, KS
Yu. Gleba, Princeton, NJ
K. Glimelius, Uppsala
R. Hagemann, Halle/S.
G. E. Hart, College Station, TX
A. L. Kahler, Brookings, SD
P. Langridge, Glen Osmond, SA
H. F. Linskens, Heidelberg
F. Mechelke, Stuttgart
G. Melchers, Tübingen
R. J. Nelsen, Lima
K. Oono, Sapporo
P. L. Pfahler, Gainesville, FL
I. Potrykus, Zürich
D. R. Pring, Gainesville, FL
M. A. Saghai Maroof, Blacksburg, VA
F. Salamini, Köln-Vogelsang
J. W. Snape, Norwich
P. M. A. Tigerstedt, Helsinki
L. Willmitzer, Golm

Springer

THEORETICAL AND APPLIED GENETICS

International Journal of Plant Breeding Research

Founded in 1929 as "Der Züchter", a German journal for theoretical and applied genetics. In 1966 its direction changed from national to international and from plant breeding to genetics and breeding research. The title changed in 1968 to "Theoretical and Applied Genetics". Edited by H. Stubbe from 1946 to 1976, by H. F. Linskens 1977 to 1987 and by G. Wenzel from 1988

TAG will publish original articles in the following areas:

- **Genetic and physiological fundamentals of plant breeding**
- **Applications of plant biotechnology**
- **Theoretical considerations in combination with experimental data**

Springer

Copyright

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

Special regulations for photocopies in the USA: Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0040-5752, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

The Canada Institute for Scientific and Technical Information (CISTI) provides a comprehensive, world-wide document delivery service for all Springer-Verlag journals. For more information, or to place an order for a copyright-cleared Springer-Verlag document, please contact Client Assistant, Document Delivery, CISTI, Ottawa K1A 0S2, Canada (Tel: 613-993-9251; Fax: 613-952-8243; e-mail: cisti.docdel@nrc.ca).

Electronic edition. An electronic edition of this journal is available via the LINK Information Service http://link.springer.de. You may contact us per e-mail access@link.springer.de or by fax +49-6221-487-288. Would you like to automatically receive per e-mail the table of contents with direct links to the respective abstracts as soon as a new issue is available via LINK? Then take advantage of our new, free service LINK Alert. For registration and further information just go to http://link.springer.de/alert.

Typesetting

Macmillan India Ltd.

Printing and bookbinding

Graphischer Betrieb K. Triltsch, Würzburg, Germany

© Springer-Verlag
Berlin Heidelberg 1998
Springer-Verlag GmbH & Co. KG, Berlin, Germany
Printed in Germany

Table of contents Volume 97, 1998

No. 1–2, pp. 1 – 326 published in July 1998
No. 3, pp. 327 – 506 published in August 1998
No. 4, pp. 507 – 670 published in September 1998
No. 5–6, pp. 671 – 1012 published in October1998
No. 7, pp. 1013 – 1196 published in November 1998
No. 8, pp. 1197 – 1386 published in December 1998

Abrigo E → Datta K
Adam-Blondon A-F → Freyre R
Adams RP, Rieseberg LH: The effects of non-homology in RAPD bands on similarity and multivariate statistical ordination in *Brassica* and *Helianthus* 323
Aderkas P von → Dumont-BéBoux N
Ae N → Wissuwa M
Ahmad F → Chen Q
Ahmadi N → Albar L
Ahmadi N → Pressoir G
Ajmone-Marsan P → Pejic I
Alam MF → Datta K
Alam SN, Cohen MB: Detection and analysis of QTLs for resistance to the brown planthopper, *Nilaparvata lugens*, in a doubled-haploid rice population 1370
Albar L, Lorieux M, Ahmadi N, Rimbault I, Pinel A, Sy AA, Fargette D, Ghesquière A: Genetic basis and mapping of the resistance to rice yellow mottle virus. I. QTLs identification and relationship between resistance and plant morphology 1145
Albar L → Pressoir G
Albertini E → Barcaccia G
Alston FH → Maliepaard C
Altenbach SB: Quantification of individual low-molecular-weight glutenin subunit transcripts in developing wheat grains by competitive RT-PCR 413
Amornsilpa S → Tan XL
Antoine-Michard S → Marhic A
Anzai H → Batchvarova R
Anzidei M → Vendramin GG
Apisitwanich S → Shishido R
Appendino L → Dubcovsky J
Arens P → Bredemeijer GMM
Arkel G van → Maliepaard C
Arús P → Joobeur T
Ashley DA → Mian MAR
Atanassov A → Batchvarova R
Atanassov AI → Atanassov II
Atanassov II, Atanassova SA, Dragoeva AI, Atanassov AI: A new CMS source in *Nicotiana* developed via somatic cybridization between *N. tabacum* and *N. alata* 982
Atanassova S → Batchvarova R
Atanassova SA → Atanassov II
Atlin GN → Golmirzaie AM
Aubry C → Métais I
Audran JC → Gallois A
Ayres NM → Van Deynze AE
Azarenko AN → Pomper KW
Bakx-Schotman JMT → Falque M
Ballester J → Joobeur T
Baranger A → Chèvre AM
Barcaccia G, Mazzucato A, Albertini E, Zethof J, Gerats A, Pezzotti M, Falcinelli M: Inheritance of parthenogenesis in *Poa pratensis* L.: auxin test and AFLP linkage analyses support monogenic control 74
Barcelo P → Barro F
Barreneche T, Bodenes C, Lexer C, Trontin J-F, Fluch S, Streiff R, Plomion C, Rousel G, Steinkellner H, Burg K, Favre J-M, Glössl J, Kremer A: A genetic linkage map of *Quercus robur* L. (pedunculate oak) based on RAPD, SCAR, microsatellite, minisatellite, isozyme and 5S rDNA markers 1090
Barret P → Chèvre AM
Barret P → Delourme R
Barret P, Delourme R, Foisset N, Renard M: Development of a SCAR (sequence characterised amplified region) marker for molecular tagging of the dwarf BREIZH (*Bzh*) gene in *Brassica napus* L. 828
Barro F, Cannell ME, Lazzeri PA, Barcelo P: The influence of auxins on transformation of wheat and tritordeum and analysis of transgene integration patterns in transformants 684
Bassil N → Pomper KW
Bassoni DL → Jermstad KD
Batchvarova R, Nikolaeva V, Slavov S, Bossolova S, Valkov V, Atanassova S, Guelemerov S, Atanassov A, Anzai H: Transgenic tobacco cultivars resistant to *Pseudomonas syringae pv. tabaci* 986
Batge S → Rameau C
Batlle I → Joobeur T
Baudoin JP → Zoro Bi I
Baum M → Eujayl I
Baumann E, Lewald J, Saedler H, Schulz B, Wisman E: Successful PCR-based reverse genetic screens using an *En-1*-mutagenised *Arabidopsis thaliana* population generated via single-seed descent 729
Beck-Bunn T → Bernacchi D
Beck-Bunn T → Doganlar S
Beckert M → Marhic A
Bellomo MP → Blanco A
Benito C → Gallego FJ
Benmoussa M → Yan JQ
Bernacchi D, Beck-Bunn T, Emmatty D, Eshed Y, Inai S, Lopez J, Petiard V, Sayama H, Uhlig J, Zamir D, Tanksley S: Advanced back-cross QTL analysis of tomato. II. Evaluation of near-isogenic lines carrying single-donor introgressions for desirable wild QTL-alleles derived from *Lycopersicon hirsutum* and *L. pimpinellifolium* 1191
Bernacchi D, Beck-Bunn T, Emmatty D, Eshed Y, Inai S, Lopez J, Petiard V, Sayama H, Uhlig J, Zamir D, Tanksley S: Advanced backcross QTL analysis of tomato. II. Evaluation of near-isogenic lines carrying single-donor introgressions for desirable wild QTL-alleles derived from *Lycopersicon hirsutum* and *L. pimpinellifolium* 170
Bernacchi D, Beck-Bunn T, Eshed Y, Lopez J, Petiard V, Uhlig J, Zamir D, Tanksley S: Advanced backcross QTL analysis in tomato. I. Identification of QTLs for traits of agronomic importance from *Lycopersicon hirsutum* 381
Bernard M → Martinant JP
Bernard M → Tixier MH
Bernard S → Tixier MH
Bernardo R: A model for marker-assisted selection among single crosses with multiple genetic markers 473
Bernardo R, Nyquist WE: Additive and testcross genetic variances in crosses among recombinant inbreds 116
Bervillé A → Sossey-Alaoui K
Bettini P, Cosi E, Pellegrini MG, Turbanti L, Vendramin GG, Buiatti M: Modification of competence for in vitro response to *Fusarium oxysporum* in tomato cells. III. PR-protein gene expression and ethylene evolution in tomato cell lines transgenic for phytohormone-related bacterial genes 575
Bhat SR → Kirti PB
Bhat SR → Prakash S
Billot A → Martinant JP
Bingham ET → Rosellini D
Bittisnich D → Spielmeyer W
Blake TK → Larson SR
Blanchard P → Rami J-F
Blanco A, Bellomo MP, Cenci A, De Giovanni C, D'Ovidio R, Iacono E, Laddomada B, Pagnotta MA, Porceddu E, Sciancalepore A, Simeone R, Tanzarella OA: A genetic linkage map of durum wheat 721
Blume YB, Strashnyuk NM, Smertenko AP, Solodushko VG, Sidorov VA, Gleba

225HI 1191
XL

YY: Alteration of β-tubulin in *Nicotiana plumbaginifolia* confers resistance to amiprophos-methyl 464
Bodenes C → Barreneche T
Boerma HR → Mian MAR
Bonierbale MW → Chavarriaga-Aguirre P
Bonierbale MW → Yencho GC
Bordes J → Marhic A
Börner A, Korzun V: A consensus linkage map of rye (*Secale cereale* L.) including 374 RFLPs, 24 isozymes and 15 gene loci 1279
Börner A, Korzun V, Polley A, Malyshev S, Melz G: Genetics and molecular mapping of a male fertility restoration locus (*Rfg1*) in rye (*Secale cereale* L.) 99
Börner A → Stracke S
Börner A → Voylokov AV
Bossolova S → Batchvarova R
Bouquet A → Lahogue F
Bousquet J → Perry DJ
Bradeen JM, Simon PW: Conversion of an AFLP fragment linked to the carrot Y_2 locus to a simple, codominant, PCR-based marker form 960
Bradshaw JE, Dale MFB, Swan GEL, Todd D, Wilson RN: Early-generation selection between and within pair crosses in a potato (*Solanum tuberosum* subsp. *tuberosum*) breeding programme 1331
Bradshaw JE, Hackett CA, Meyer RC, Milbourne D, McNicol JW, Phillips MS, Waugh R: Identification of AFLP and SSR markers associated with quantitative resistance to *Globodera pallida* (Stone) in tetraploid potato (*Solanum tuberosum* subsp. *tuberosum*) with a view to marker-assisted selection 202
Bradshaw Jr. HD → Wu R
Branlard G → Martinant JP
Bredemeijer GMM, Arens P, Wouters D, Visser D, Vosman B: The use of semi-automated fluorescent microsatellite analysis for tomato cultivar identification 584
Bretschneider K → Golmirzaie AM
Brettin TS → Wang D
Brondani C → Brondani RPV
Brondani RPV, Brondani C, Tarchini R, Grattapaglia D: Development, characterization and mapping of microsatellite markers in *Eucalyptus grandis* and *E. urophylla* 816
Brown GG → Jean M
Brown LM → Maliepaard C
Bryan G → Stephenson P
Bucci G → Vendramin GG
Buiatti M → Bettini P
Burg K → Barreneche T
Burrus M → Gallois A
Burtin D → Capell T
Busso C → Stephenson P

Cabezas JA → Cervera M-T
Cadalen T → Martinant JP
Cadalen T → Tixier MH
Cai D → Kleine M
Calles B → Gallego FJ
Cannell ME → Barro F
Capell T, Escobar C, Liu H, Burtin D, Lepri O, Christou P: Over-expression of the oat arginine decarboxylase cDNA in transgenic rice (*Oryza sativa* L.) affects normal development patterns in vitro and results in putrescine accumulation in transgenic plants 246
Caporali E → Spada A
Cartinhour SW → Van Deynze AE
Casarini E → Tuberosa R
Castiglioni P → Pejic I
Cavallini A → Natali L
Cenci A → Blanco A
Cervera M-T, Cabezas JA, Sancha JC, Martínez de Toda F, Martínez-Zapater JM: Application of AFLPs to the characterization of grapevine *Vitis vinifera* L. genetic resources. A case study with accessions from Rioja (Spain) 51
Chahal A, Sidhu HS, Wolyn DJ: A fertile revertant from petaloid cytoplasmic male-sterile carrot has a rearranged mitochondrial genome 450
Chalmers KJ → Parker GD
Champagne G → Delourme R
Charmet G → Tixier MH
Chartier S → Martinant JP
Chavarriaga-Aguirre P, Maya MM, Bonierbale MW, Kresovich S, Fregene MA, Tohme J, Kochert G: Microsatellites in Cassava (*Manihot esculenta* Crantz): discovery, inheritance and variability 493
Chen C, Sleper DA, Johal GS: Comparative RFLP mapping of meadow and tall fescue 255
Chen FQ → Foolad MR
Chen PD → Chen WP
Chen PD → Qi LL
Chen Q, Conner RL, Ahmad F, Laroche A, Fedak G, Thomas JB: Molecular characterization of the genome composition of partial amphiploids derived from *Triticum aestivum* × *Thinopyrum ponticum* and *T. aestivum* × *Th. intermedium* as sources of resistance to wheat streak mosaic virus and its vector, *Aceria tosichella* 1
Chen WP, Gu X, Liang GH, Muthukrishnan S, Chen PD, Liu DJ, Gill BS: Introduction and constitutive expression of a rice chitinase gene in bread wheat using biolistic bombardment and the *bar* gene as a selectable marker 1296
Chen XM, Line RF, Leung H: Genome scanning for resistance-gene analogs in rice, barley, and wheat by high-resolution electrophoresis 345
Chen ZJ, Phillips RL, Rines HW: Maize DNA enrichment by representational difference analysis in a maize chromosome addition line of oat 337
Cheng R, Kleinhofs A, Ukai Y: Method for mapping a partial lethal-factor locus on a molecular-marker linkage map of a backcross and doubled-haploid population 293
Cheung WY → Delourme R
Chèvre AM, Eber F, Baranger A, Hureau G, Barret P, Picault H, Renard M: Characterization of backcross generations obtained under field conditions from oilseed rape-wild radish F_1 interspecific hybrids: an assessment of transgene dispersal 90
Chevreau E → Maliepaard C
Cho YG, McCouch SR, Kuiper M, Kang M-R, Pot J, Groenen JTM, Eun MY: Integrated map of AFLP, SSLP and RFLP markers using a recombinant inbred population of rice (*Oryza sativa* L.) 370
Chopra VL → Kirti PB
Chopra VL → Prakash S
Chopra VL → Srinivasan K
Chowdari KV, Davierwala AP, Gupta VS, Ranjekar PK, Govila OP: Genotype identification and assessment of genetic relationships in pearl millet [*Pennisetum glaucum* (L.) R. Br] using microsatellites and RAPDs 154
Chowdari KV, Venkatachalam SR, Davierwala AP, Gupta VS, Ranjekar PK, Govila OP: Hybrid performance and genetic distance as revealed by the $(GATA)_4$ microsatellite and RAPD markers in pearl millet 163
Christou P → Capell T
Cipriani G → Huang W-G
Close TJ → Werner-Fraczek JE
Cohen MB → Alam SN
Collins A → Stephenson P
Concilio L → Schäfer-Pregl R
Conner RL → Chen Q
Conti S → Tuberosa R
Cook A → Larson SR
Cosi E → Bettini P
Cournoyer B → Loridon K
Crossman C → Doganlar S

Dale MFB → Bradshaw JE
Datta K, Vasquez A, Tu J, Torrizo L, Alam MF, Oliva N, Abrigo E, Khush GS, Datta SK: Constitutive and tissue-specific differential expression of the *crylA(b)* gene in transgenic rice plants conferring resistance to rice insect pest 20
Datta SK → Datta K
Datta SK → Tu J
Davierwala AP → Chowdari KV
Davis JW → Pomper KW
Davrieux F → Rami J-F
De Giovanni C → Blanco A
Deahl KL → Yencho GC
Degreef J → Zoro Bi I
Delourme R → Barret P
Delourme R, Foisset N, Horvais R, Barret P, Champagne G, Cheung WY, Landry BS, Renard M: Characterisation of the radish introgression carrying the *Rfo* restorer gene for the *Ogu*-INRA cytoplasmic male sterility in rapeseed (*Brassica napus* L.) 129
Delourme R → Pilet ML
den Nijs APM → Maliepaard C
Dénoue D → Rameau C
Depeiges A → Loridon K
Deshpande AD, Ramakrishna W, Mulay GP, Gupta VS, Ranjekar PK: Evolutionary and polymorphic organization of the *knotted1* homeobox in cereals 135
Dettori MT → Joobeur T
Devey ME → Emebiri LC
Devey ME → Harkins DM

Devine TE → Matthews BF
Devos K → Stephenson P
Dijk PJ van → Falque M
Dinesh Kumar V → Kirti PB
Dirlewanger E → Joobeur T
Dirlewanger E, Pronier V, Parvery C, Rothan C, Guye A, Monet R: Genetic linkage map of peach [*Prunus persica* (L.) Batsch] using morphological and molecular markers 888
Dodson J → Doganlar S
Doganlar S, Dodson J, Gabor B, Beck-Bunn T, Crossman C, Tanksley SD: Molecular mapping of the *py-1* gene for resistance to corky root rot (*Pyrenochaeta lycopersici*) in tomato 784
Douches DS, Maas DL: Comparison of FDR- and SDR-derived tetraploid progeny from 2*x*×4*x* crosses using haploids of *Solanum tuberosum* L. that produce mixed modes of 2n eggs 1307
D'Ovidio R → Blanco A
Dragoeva AI → Atanassov II
Dron M → Freyre R
Dubcovsky J, Lijavetzky D, Appendino L, Tranquilli G: Comparative RFLP mapping of *Triticum monococcum* genes controlling vernalization requirement 968
Dubouzet JG, Shinoda K: Phylogeny of *Allium* L. subg. *Melanocrommyum* (Webb et Berth.) Rouy based on DNA sequence analysis of the internal transcribed spacer region of nrDNA 541
Dufour P → Rami J-F
Dumont-BéBoux N, Weber M, Ma Y, Aderkas P von: Intergeneric pollen – megagametophyte relationships of conifers in vitro 881
Dunemann F → Maliepaard C
Dung LV, Inukai T, Sano Y: Dissection of a major QTL for photoperiod sensitivity in rice: its association with a gene expressed in an age-dependent manner 714
Dupper GE → Harkins DM
Dusabenyagasani M, Lecours N, Hamelin RC: Sequence-tagged sites (STS) for studies of molecular epidemiology of scleroderris canker of conifers 789
Dvorak J, Luo M-C, Yang Z-L, Zhang H-B: The structure of the *Aegilops tauschii* genepool and the evolution of hexaploid wheat 657

Eber F → Chèvre AM
Eisner G, Negruk V, Hannoufa A, Lemieux B: Analysis of *Arabidopsis thaliana* transgenic plants transformed with *CER2* and *CER3* genes in sense and antisense orientations 801
Elkonin LA, Kozhemyakin VV, Ishin AG: Nuclear-cytoplasmic interactions in restoration of male fertility in the '9E' and A4 CMS-inducing cytoplasms of sorghum 626
Ellis N → Laucou V
Emebiri LC, Devey ME, Matheson AC, Slee MU: Age-related changes in the expression of QTLs for growth in radiata pine seedlings 1053
Emebiri LC, Devey ME, Matheson AC, Slee MU: Interval mapping of quantitative trait loci affecting NESTUR, a stem growth efficiency index of radiata pine seedlings 1062
Emmatty D → Bernacchi D
Erskine W → Eujayl I
Escobar C → Capell T
Eshed Y → Bernacchi D
Eujayl I, Baum M, Powell W, Erskine W, Pehu E: A genetic linkage map of lentil (*Lens* sp.) based on RAPD and AFLP markers using recombinant inbred lines 83
Eun MY → Cho YG
Evans KM → Maliepaard C

Falavigna A → Spada A
Falcinelli M → Barcaccia G
Falque M, Keurentjes J, Bakx-Schotman JMT, Dijk PJ van: Development and characterization of microsatellite markers in the sexual-apomictic complex *Taraxacum officinale* (dandelion) 283
Fambrini M → Natali L
Fargette D → Albar L
Fargette D → Pressoir G
Favre J-M → Barreneche T
Fedak G → Chen Q
Fliedel G → Rami J-F
Fluch S → Barreneche T
Foisset N → Barret P
Foisset N → Delourme R
Foisset N → Pilet ML
Foolad MR, Chen FQ, Lin GY: RFLP mapping of QTLs conferring salt tolerance during germination in an interspecific cross of tomato 1133
Fraser LG → Gill GP
Fraval F → Rameau C
Fregene MA → Chavarriaga-Aguirre P
Freialdenhoven A → Lahaye T
Freyre R, Skroch PW, Geffroy V, Adam-Blondon A-F, Shirmohamadali A, Johnson WC, Llaca V, Nodari RO, Pereira PA, Tsai S-M, Tohme J, Dron M, Nienhuis J, Vallejos CE, Gepts P: Towards an integrated linkage map of common bean. 4. Development of a core linkage map and alignment of RFLP maps 847
Fu H → Van Deynze AE
Fuchs J → Menke M
Fukui K → Rajyashri KR
Fukui K → Shishido R
Fukuoka S, Namai H, Okuno K: RFLP mapping of the genes controlling hybrid breakdown in rice (*Oryza sativa* L.) 446

Gabor B → Doganlar S
Gai J-Y, Wang J-K: Identification and estimation of a QTL model and its effects 1162
Gaikwad K → Kirti PB
Gaikwad K → Prakash S
Gale M → Stephenson P
Galiba G → Sarma RN
Gallego FJ, Calles B, Benito C: Molecular markers linked to the aluminium tolerance gene *Alt1* in rye (*Secale cereale* L.) 1104
Gallo L → Marchelli P
Gallois A, Audran JC, Burrus M: Assessment of genetic relationships and population discrimination among *Fagus sylvatica* L. by RAPD 211
Gao MW → Shen YW
Gardiner S → Maliepaard C
Gardner RC → Gill GP
Gay G → Tixier MH
Gebhardt C → Schäfer-Pregl R
Gebhardt JS → Matthews BF
Geffroy V → Freyre R
Gepts P → Freyre R
Gerats A → Barcaccia G
Ghesquière A → Albar L
Ghesquière A → Pressoir G
Gill BS → Chen WP
Gill BS → Naik S
Gill BS → Qi LL
Gill BS → Sarma RN
Gill GP, Harvey CF, Gardner RC, Fraser LG: Development of sex-linked PCR markers for gender identification in *Actinidia* 439
Gill KS → Naik S
Ginkel M van → Inagaki MN
Giordani T → Natali L
Gleba YY → Blume YB
Glössl J → Barreneche T
Glössl J → Sefc KM
Golmirzaie AM, Bretschneider K, Ortiz R: Inbreeding and true seed in tetrasomic potato. II. Selfing and sib-mating in heterogeneous hybrid populations of *Solanum tuberosum* 1129
Golmirzaie AM, Ortiz R, Atlin GN, Iwanaga M: Inbreeding and true seed in tetrasomic potato. I. Selfing and open pollination in Andean landraces (*Solanum tuberosum* Gp. *Andigena*) 1125
Goncharov NP → Pestsova EG
Goubely C → Loridon K
Govila OP → Chowdari KV
Graner A → Ivandic V
Grattapaglia D → Brondani RPV
Green AG → Spielmeyer W
Griveau Y → Sossey-Alaoui K
Groenen JTM → Cho YG
Gu X → Chen WP
Guan ZQ → Shen YW
Guelemerov S → Batchvarova R
Gugel RK → Prabhu KV
Guilford P → Maliepaard C
Gupta VS → Chowdari KV
Gupta VS → Deshpande AD
Gupta VS → Naik S
Guye A → Dirlewanger E

Hackett CA → Bradshaw JE
Hamelin RC → Dusabenyagasani M
Hamon B → Métais I
Hamon P → Rami J-F
Hannoufa A → Eisner G
Harding J → Huang H
Harkins DM, Johnson GN, Skaggs PA, Mix AD, Dupper GE, Devey ME, Kinloch Jr BB, Neale DB: Saturation mapping of a major gene for resistance to white pine blister rust in sugar pine 1355
Harry DE, Temesgen B, Neale DB: Codominant PCR-based markers for *Pinus taeda* developed from mapped cDNA clones 327
Hartmann S → Lahaye T

Harvey CF → Gill GP
Haurogné K → Laucou V
Haurogné K → Rameau C
Havey MJ, McCreight JD, Rhodes B, Taurick G: Differential transmission of the *Cucumis* organellar genomes 122
He CX → Yan JQ
Hesemann CU → Radić-Miehle H
Heslop-Harrison JS → Schmidt T
Hesselbach J → Schäfer-Pregl R
Heusden AW van → Maliepaard C
Higo H → Iwamoto M
Higo K → Iwamoto M
Hill J → Wagoire WW
Hirai A → Kusaka M
Hirata Y → Taller J
Hokanson SC, Szewc-McFadden AK, Lamboy WF, McFerson JR: Microsatellite (SSR) markers reveal genetic identities, genetic diversity and relationships in a *Malus* × *domestica* borkh. core subset collection 671
Horvais R → Delourme R
Huang H, Harding J: Quantitative analysis of correlations among flower traits in *Gerbera hybrida*, Compositae. III. Genetic variability and structure of principal component traits 316
Huang N → Ni JJ
Huang N → Yang D
Huang W-G, Cipriani G, Morgante M, Testolin R: Microsatellite DNA in *Actinidia chinensis*: isolation, characterisation, and homology in related species 1269
Hüls R → Radić-Miehle H
Hureau G → Chèvre AM

Iacono E → Blanco A
Iezzoni AF → Wang D
Inagaki MN, Varughese G, Rajaram S, Ginkel M van, Mujeeb-Kazi A: Comparison of bread wheat lines selected by doubled haploid, single-seed descent and pedigree selection methods 550
Inai S → Bernacchi D
Inukai T → Dung LV
Ishin AG → Elkonin LA
Ivandic V, Walther U, Graner A: Molecular mapping of a new gene in wild barley conferring complete resistance to leaf rust (*Puccinia hordei* Otth) 1235
Iwamoto M, Maekawa M, Saito A, Higo H, Higo K: Evolutionary relationship of plant catalase genes inferred from exon-intron structures: isozyme divergence after the separation of monocots and dicots 9
Iwanaga M → Golmirzaie AM

Jaby C → Tixier MH
Jalouzot R → Métais I
Janse J → Maliepaard C
Jáuregui B → Joobeur T
Jean M, Brown GG, Landry BS: Targeted mapping approaches to identify DNA markers linked to the *Rfp1* restorer gene for the 'Polima' CMS of canola (*Brassica napus* L.) 431
Jenkins JN → Shappley ZW
Jermstad KD, Bassoni DL, Kinlaw CS, Neale DB: Partial DNA sequencing of Douglas-fir cDNAs used for RFLP mapping 771
Jermstad KD, Bassoni DL, Wheeler NC, Neale DB: A sex-averaged genetic linkage map in coastal Douglas-fir (*Pseudotsuga menziesii* [Mirb.] Franco var '*menziesii*') based on RFLP and RAPD markers 762
Johal GS → Chen C
Johnson GN → Harkins DM
Johnson WC → Freyre R
Joobeur T, Viruel MA, Vicente MC de, Jáuregui B, Ballester J, Dettori MT, Verde I, Truco MJ, Messeguer R, Batlle I, Quarta R, Dirlewanger E, Arús P: Construction of a saturated linkage map for *Prunus* using an almond × peach F_2 progeny 1034
Josserand J → Rameau C
Jung C → Kleine M
Jung C → Richter K
Jung C → Schmidt T

Kaan F → Sossey-Alaoui K
Kahl G → Udupa SM
Kameya T → Kisaka H
Kampfer S → Sefc KM
Kang M-R → Cho YG
Karakousis A → Seah S
Karle R → Wang D
Katsiotis A → Schmidt T
Kawahara T → Yoshimaru H
Keim P → Travis SE
Keurentjes J → Falque M
Khush GS → Datta K
Khush GS → Tu J
Khush GS → Yang D
King GJ → Maliepaard C
Kinlaw CS → Jermstad KD
Kinloch Jr BB → Harkins DM
Kirby J → Stephenson P
Kirti PB → Prakash S
Kirti PB, Prakash S, Gaikwad K, Dinesh Kumar V, Bhat SR, Chopra VL: Chloroplast substitution overcomes leaf chlorosis in a *Moricandia arvensis*-based cytoplasmic male sterile *Brassica juncea* 1179
Kirti PB → Srinivasan K
Kisaka H, Sano H, Kameya T: Characterization of transgenic rice plants that express *rgp1*, the gene for a small GTP-binding protein from rice 810
Kita M → Taller J
Klein D → Lübberstedt T
Kleine M, Voss H, Cai D, Jung C: Evaluation of nematode-resistant sugar beet (*Beta vulgaris* L.) lines by molecular analysis 896
Kleinhofs A → Cheng R
Kling ChI → Radić-Miehle H
Kobayashi RS → Yencho GC
Kochert G → Chavarriaga-Aguirre P
Korol AB → Ronin YI
Korzun V → Börner A
Korzun V → Voylokov AV
Koshy MP, Namkoong G, Roberds JH: Genetic variance in the F_2 generation of divergently selected parents 990
Kowalski SP → Yencho GC
Kozhemyakin VV → Elkonin LA
Kozumplick V → Pejic I
Kremer A → Barreneche T
Kresovich S → Chavarriaga-Aguirre P
Kubis S → Schmidt T
Kuboki Y → Yamamoto T
Kuiper M → Cho YG
Kumar VD → Prakash S
Kurashige M → Kusaka M
Kurata N → Rajyashri KR
Kusaka M, Kurashige M, Hirai A, Tsutsumi N: Characterization of two rice genes for nuclear-encoded chloroplast ribosomal protein L12 and phylogenetic analysis of the acquisition of transit peptides and gene duplication 110

Laddomada B → Blanco A
Lagudah ES → Seah S
Lagudah ES → Spielmeyer W
Lahaye T, Hartmann S, Töpsch S, Freialdenhoven A, Yano M, Schulze-Lefert P: High-resolution genetic and physical mapping of the *Rar1* locus in barley 526
Lahogue F, This P, Bouquet A: Identification of a codominant scar marker linked to the seedlessness character in grapevine 950
Lakshmi M → Parani M
Lambert P → Sossey-Alaoui K
Lamboy WF → Hokanson SC
Landi P → Tuberosa R
Landry BS → Delourme R
Landry BS → Jean M
Langridge P → Parker GD
Langridge P → Taylor C
Laroche A → Chen Q
Larson SR, Young KA, Cook A, Blake TK, Raboy V: Linkage mapping of two mutations that reduce phytic acid content of barley grain 141
Laucou V, Haurogné K, Ellis N, Rameau C: Genetic mapping in pea. 1. RAPD-based genetic linkage map of *Pisum sativum* 905
Laucou V → Rameau C
Laurens F → Maliepaard C
Laurie DA → Sarma RN
Lazzeri PA → Barro F
Lecours N → Dusabenyagasani M
Leitch AR → Lim KY
Leitch IJ → Lim KY
Lemieux B → Eisner G
Lepri O → Capell T
Leroy P → Martinant JP
Leung H → Chen XM
Lewald J → Baumann E
Lexer C → Barreneche T
Li XH → Wang J
Liang GH → Chen WP
Lijavetzky D → Dubcovsky J
Lim KY, Leitch IJ, Leitch AR: Genomic characterisation and the detection of raspberry chromatin in polyploid *Rubus* 1027
Lin GY → Foolad MR
Lin SY → Yamamoto T
Line RF → Chen XM
Liu DJ → Chen WP
Liu DJ → Qi LL
Liu H → Capell T

Liu KD → Wang J
Llaca V → Freyre R
Lopez J → Bernacchi D
Lorenzetti F → Rosellini D
Loridon K, Cournoyer B, Goubely C, Depeiges A, Picard G: Length polymorphism and allele structure of trinucleotide microsatellites in natural accessions of *Arabidopsis thaliana* 591
Lorieux M → Albar L
Lorieux M → Pressoir G
Lovatti L → Schäfer-Pregl R
Lu J → Shen YW
Lübberstedt T, Klein D, Melchinger AE: Comparative QTL mapping of resistance to *Ustilago maydis* across four populations of European flint-maize 1321
Lumaret R → Toumi L
Luo M-C → Dvorak J
Lynn JR → Maliepaard C

Ma Y → Dumont-BéBoux N
Maas DL → Douches DS
MacDonald MH → Matthews BF
Madaghiele A → Vendramin GG
Maekawa M → Iwamoto M
Maestra B, Naranjo T: Homeologous relationships of *Aegilops speltoides* chromosomes to bread wheat 181
Malathi VG → Srinivasan K
Maliepaard C, Alston FH, Arkel G van, Brown LM, Chevreau E, Dunemann F, Evans KM, Gardiner S, Guilford P, Heusden AW van, Janse J, Laurens F, Lynn JR, Manganaris AG, den Nijs APM, Periam N, Rikkerink E, Roche P, Ryder C, Sansavini S, Schmidt H, Tartarini S, Verhaegh JJ, Vrielink-van Ginkel M, King GJ: Aligning male and female linkage maps of apple (*Malus pumila* Mill.) using multi-allelic markers 60
Malyshev S → Börner A
Manganaris AG → Maliepaard C
Maquet A → Zoro Bi I
Marchelli P, Gallo L, Scholz F, Ziegenhagen B: Chloroplast DNA markers reveal a geographical divide across Argentinean southern beech *Nothofagus nervosa* (Phil.) Dim. et Mil. distribution area 642
Marhic A, Antoine-Michard S, Bordes J, Pollacsek M, Murigneux A, Beckert M: Genetic improvement of anther culture response in maize: relationships with molecular, Mendelian and agronomic traits 520
Martinant JP, Cadalen T, Billot A, Chartier S, Leroy P, Bernard M, Saulnier L, Branlard G: Genetic analysis of water-extractable arabinoxylans in bread wheat endosperm 1069
Martínez de Toda F → Cervera M-T
Martínez-Zapater JM → Cervera M-T
Marziani G → Spada A
Matheson AC → Emebiri LC
Matheson AC → Wu HX
Matsumura H, Takano T, Takeda G, Uchimiya H: *Adh1* is transcriptionally active but its translational product is reduced in a *rad* mutant of rice (*Oryza sativa* L.), which is vulnerable to submergence stress 1197
Matthews BF, MacDonald MH, Gebhardt JS, Devine TE: Molecular markers residing close to the *Rhg4* locus conferring resistance to soybean cyst nematode race 3 on linkage group A of soybean 1047
Maya MM → Chavarriaga-Aguirre P
Mazzucato A → Barcaccia G
McCarty JC Jr → Shappley ZW
McCouch SR → Cho YG
McCouch SR → Van Deynze AE
McCreight JD → Havey MJ
McFerson JR → Hokanson SC
McLean NL, Nowak J: Inheritance of somatic embryogenesis in red clover (*Trifolium pratense* L.) 557
McNicol JW → Bradshaw JE
Meagher TR → Thompson EA
Mehlenbacher SA → Pomper KW
Melchinger AE → Lübberstedt T
Melz G → Börner A
Mendham N → Spielmeyer W
Menke M, Fuchs J, Schubert I: A comparison of sequence resolution on plant chromosomes: PRINS versus FISH 1314
Meredith WR → Shappley ZW
Messeguer R → Joobeur T
Mestres C → Rami J-F
Métais I, Aubry C, Hamon B, Peltier D, Jalouzot R: Cloning, quantification and characterization of a minisatellite DNA sequence from common bean *Phaseolus vulgaris* L. 232
Mew TW → Tu J
Meyer RC → Bradshaw JE
Mian MAR, Ashley DA, Vencill WK, Boerma HR: QTLs conditioning early growth in a soybean population segregating for growth habit 1210
Milbourne D → Bradshaw JE
Mix AD → Harkins DM
Mohan M → Rajyashri KR
Monet R → Dirlewanger E
Morgante M → Huang W-G
Morgante M → Pejic I
Mori K → Shishido R
Motto M → Pejic I
Muehlbauer FJ → Ratnaparkhe MB
Mujeeb-Kazi A → Inagaki MN
Mukai Y → Raina SN
Mukai Y → Yoshimaru H
Mulay GP → Deshpande AD
Murai M → Yoshimaru H
Murfet IC → Rameau C
Murigneux A → Marhic A
Muthukrishnan S → Chen WP

Naik S, Gill KS, Prakasa Rao VS, Gupta VS, Tamhankar SA, Pujar S, Gill BS, Ranjekar PK: Identification of a STS marker linked to the *Aegilops speltoides*-derived leaf rust resistance gene *Lr28* in wheat 535
Nair S → Rajyashri KR
Namai H → Fukuoka S
Namkoong G → Koshy MP
Naranjo T → Maestra B
Natali L, Giordani T, Polizzi E, Pugliesi C, Fambrini M, Cavallini A: Genomic alterations in the interspecific hybrid *Helianthus annuus* × *Helianthus tuberosus* 1240
Neale DB → Harkins DM
Neale DB → Harry DE
Neale DB → Jermstad KD
Negruk V → Eisner G
Ni JJ, Wu P, Senadhira D, Huang N: Mapping QTLs for phosphorus deficiency tolerance in rice (*Oryza sativa* L.) 1361
Nicolas N → Tixier MH
Nienhuis J → Freyre R
Nienhuis J → Sills G
Nikolaeva V → Batchvarova R
Ninnemann H → Oberwalder B
Nodari RO → Freyre R
Nowak J → McLean NL
Nyquist WE → Bernardo R

Oberwalder B, Schilde-Rentschler L, Ruoß B, Wittemann S, Ninnemann H: Asymmetric protoplast fusions between wild species and breeding lines of potato – effect of recipients and genome stability 1347
Ogata S → Taller J
Ohba K → Yoshimaru H
Ohmido N → Rajyashri KR
Ohmido N → Shishido R
Okinaka Y → Shishido R
Okuno K → Fukuoka S
Oliva N → Datta K
Ona I → Tu J
Ortiz R → Golmirzaie AM
Ortiz R → Wagoire WW
Otsuki Y → Tsugawa H

Pagnotta MA → Blanco A
Parani M, Lakshmi M, Senthilkumar P, Ram N, Parida A: Molecular phylogeny of mangroves V. Analysis of genome relationships in mangrove species using RAPD and RFLP markers 617
Parida A → Parani M
Park WD → Van Deynze AE
Parker GD, Chalmers KJ, Rathjen AJ, Langridge P: Mapping loci associated with flour colour in wheat (*Triticum aestivum* L.) 238
Parvery C → Dirlewanger E
Paul E → Van Deynze AE
Pehu E → Eujayl I
Pejic I, Ajmone-Marsan P, Morgante M, Kozumplick V, Castiglioni P, Taramino G, Motto M: Comparative analysis of genetic similarity among maize inbred lines detected by RFLPs, RAPDs, SSRs, and AFLPs 1248
Pellegrini MG → Bettini P
Peltier D → Métais I
Pereira PA → Freyre R
Periam N → Maliepaard C
Perry DJ, Bousquet J: Sequence-tagged-site (STS) markers of arbitrary genes: the utility of black spruce-derived STS primers in other conifers 735
Pestsova EG, Goncharov NP, Salina EA: Elimination of a tandem repeat of telomeric heterochromatin during the evolution of wheat 1380
Petiard V → Bernacchi D
Pezzotti M → Barcaccia G

Phillips MS → Bradshaw JE
Phillips RL → Chen ZJ
Picard G → Loridon K
Picault H → Chèvre AM
Piepho H-P: Empirical best-linear unbiased prediction in cultivar trials using factor-analytic variance-covariance structures 195
Pilet ML, Delourme R, Foisset N, Renard M: Identification of QTL involved in field resistance to light leaf spot (*Pyrenopeziza brassicae*) and blackleg resistance (*Leptosphaeria maculans*) in winter rapeseed (*Brassica napus* L.) 398
Pinel A → Albar L
Plieske J → Struss D
Plieske J, Struss D, Röbbelen G: Inheritance of resistance derived from the B-genome of *Brassica* against *Phoma lingam* in rapeseed and the development of molecular markers 929
Plomion C → Barreneche T
Polizzi E → Natali L
Pollacsek M → Marhic A
Polley A → Börner A
Pomper KW, Azarenko AN, Bassil N, Davis JW, Mehlenbacher SA: Identification of random amplified polymorphic DNA (RAPD) markers for self-incompatibility alleles in *Corylus avellana* L. 479
Porceddu E → Blanco A
Portaluppi P → Spada A
Pot J → Cho YG
Powell W → Eujayl I
Prabhu KV, Somers DJ, Rakow G, Gugel RK: Molecular markers linked to white rust resistance in mustard *Brassica juncea* 865
Prakasa Rao VS → Naik S
Prakash S → Kirti PB
Prakash S, Kirti PB, Bhat SR, Gaikwad K, Kumar VD, Chopra VL: A *Moricandia arvensis*-based cytoplasmic male sterility and fertility restoration system in *Brassica juncea* 488
Prakash S → Srinivasan K
Pressoir G, Albar L, Ahmadi N, Rimbault I, Lorieux M, Fargette D, Ghesquière A: Genetic basis and mapping of the resistance to rice yellow mottle virus. II. Evidence of a complementary epistasis between two QTLs 1155
Pronier V → Dirlewanger E
Pugliesi C → Natali L
Pujar S → Naik S

Qi LL, Wang SL, Chen PD, Liu DJ, Gill BS: Identification and physical mapping of three *Haynaldia villosa* chromosome-6V deletion lines 1042
Quarta R → Joobeur T

Raboy V → Larson SR
Radić-Miehle H, Saam C, Hüls R, Kling ChI, Hesemann CU: Characterization of spelt (*Triticum spelta* L.) forms by gel-electrophoretic analyses of seed storage proteins. III. Comparative analyses of spelt and Central European winter wheat (*Triticum aestivum* L.) cultivars by SDS-PAGE and acid-PAGE 1340
Raina SN, Mukai Y, Yamamoto M: In situ hybridization identifies the diploid progenitor species of *Coffea arabica* (Rubiaceae) 1204
Rajaram S → Inagaki MN
Rajyashri KR, Nair S, Ohmido N, Fukui K, Kurata N, Sasaki T, Mohan M: Isolation and FISH mapping of Yeast Artificial Chromosomes (YACs) encompassing an allele of the *Gm2* gene for gall midge resistance in rice 507
Rakow G → Prabhu KV
Ram N → Parani M
Ramakrishna W → Deshpande AD
Rameau C, Dénoue D, Fraval F, Haurogné K, Josserand J, Laucou V, Batge S, Murfet IC: Genetic mapping in pea. 2. Identification of RAPD and SCAR markers linked to genes affecting plant architecture 916
Rameau C → Laucou V
Rami J-F, Dufour P, Trouche G, Fliedel G, Mestres C, Davrieux F, Blanchard P, Hamon P: Quantitative trait loci for grain quality, productivity, morphological and agronomical traits in sorghum (*Sorghum bicolor* L. Moench) 605
Ranjekar PK → Chowdari KV
Ranjekar PK → Deshpande AD
Ranjekar PK → Naik S
Rathjen AJ → Parker GD
Ratnaparkhe MB, Tekeoglu M, Muehlbauer FJ: Inter-simple-sequence-repeat (ISSR) polymorphisms are useful for finding markers associated with disease resistance gene clusters 515
Regner F → Sefc KM
Renard M → Barret P
Renard M → Chèvre AM
Renard M → Delourme R
Renard M → Pilet ML
Restivo FM → Spada A
Rhodes B → Havey MJ
Richter K, Schondelmaier J, Jung C: Mapping of quantitative trait loci affecting *Drechslera teres* resistance in barley with molecular markers 1225
Rieseberg LH → Adams RP
Rikkerink E → Maliepaard C
Rimbault I → Albar L
Rimbault I → Pressoir G
Rines HW → Chen ZJ
Ritland K → Travis SE
Ritter E → Schäfer-Pregl R
Röbbelen G → Plieske J
Roberds JH → Koshy MP
Roche P → Maliepaard C
Ronin YI, Korol AB, Weller JI: Selective genotyping to detect quantitative trait loci affecting multiple traits: interval mapping analysis 1169
Rosellini D, Lorenzetti F, Bingham ET: Quantitative ovule sterility in *Medicago sativa* 1289
Rothan C → Dirlewanger E
Roussel G → Barreneche T
Ruoß B → Oberwalder B
Ryder C → Maliepaard C

Saam C → Radić-Miehle H
Saedler H → Baumann E
Saito A → Iwamoto M
Sakamaki Y → Yoshimaru H
Salamini F → Schäfer-Pregl R
Salina EA → Pestsova EG
Salvi S → Tuberosa R
Sancha JC → Cervera M-T
Sanchez A → Yang D
Sanguineti MC → Tuberosa R
Sano H → Kisaka H
Sano Y → Dung LV
Sansavini S → Maliepaard C
Sansavini S → Vinatzer BA
Sarma RN, Gill BS, Sasaki T, Galiba G, Sutka J, Laurie DA, Snape JW: Comparative mapping of the wheat chromosome 5A *Vrn-A1* region with rice and its relationship to QTL for flowering time 103
Sasaki T → Rajyashri KR
Sasaki T → Sarma RN
Sasaki T → Yamamoto T
Saulnier L → Martinant JP
Saxena MC → Udupa SM
Sayama H → Bernacchi D
Schäfer-Pregl R, Ritter E, Concilio L, Hesselbach J, Lovatti L, Walkemeier B, Thelen H, Salamini F, Gebhardt C: Analysis of quantitative trait loci (QTLs) and quantitative trait alleles (QTAs) for potato tuber yield and starch content 834
Schilde-Rentschler L → Oberwalder B
Schilling E → Sossey-Alaoui K
Schmidt H → Maliepaard C
Schmidt T, Kubis S, Katsiotis A, Jung C, Heslop-Harrison JS: Molecular and chromosomal organization of two repetitive DNA sequences with intercalary locations in sugar beet and other *Beta* species 696
Scholz F → Marchelli P
Schondelmaier J → Richter K
Schubert I → Menke M
Schulz B → Baumann E
Schulze-Lefert P → Lahaye T
Sciancalepore A → Blanco A
Seah S, Sivasithamparam K, Karakousis A, Lagudah ES: Cloning and characterisation of a family of disease resistance gene analogs from wheat and barley 937
Sefc KM, Steinkellner H, Glössl J, Kampfer S, Regner F: Reconstruction of a grapevine pedigree by microsatellite analysis 227
Senadhira D → Ni JJ
Senthilkumar P → Parani M
Serieys H → Sossey-Alaoui K
Shappley ZW, Jenkins JN, Meredith WR, McCarty JC Jr: An RFLP linkage map of Upland cotton, *Gossypium hirsutum* L. 756
Shen YW, Guan ZQ, Lu J, Zhuang JY, Zheng KL, Gao MW, Wang XM: Linkage analysis of a fertility restoring mutant generated from CMS rice 261
Shepherd KW → Taylor C
Shinoda K → Dubouzet JG
Shirmohamadali A → Freyre R
Shishido R, Apisitwanich S, Ohmido N, Okinaka Y, Mori K, Fukui K: Detection of specific chromosome reduction in rice

somatic hybrids with the A, B, and C genomes by multi-color genomic *in situ* hybridization 1013
Sidhu HS → Chahal A
Sidorov VA → Blume YB
Sills G, Nienhuis J: Changes in DNA-marker frequencies associated with response to contrasting selection methods in *Arabidopsis* 275
Simeone R → Blanco A
Simon PW → Bradeen JM
Sinden SL → Yencho GC
Sivasithamparam K → Seah S
Skaggs PA → Harkins DM
Skroch PW → Freyre R
Slavov S → Batchvarova R
Slee MU → Emebiri LC
Sleper DA → Chen C
Smertenko AP → Blume YB
Snape JW → Sarma RN
Solodushko VG → Blume YB
Somers DJ → Prabhu KV
Sorrells ME → Van Deynze AE
Sossey-Alaoui K, Serieys H, Tersac M, Lambert P, Schilling E, Griveau Y, Kaan F, Bervillé A: Evidence for several genomes in *Helianthus* 422
Sourdille P → Tixier MH
Spada A, Caporali E, Marziani G, Portaluppi P, Restivo FM, Tassi F, Falavigna A: A genetic map of *Asparagus officinalis* based on integrated RFLP, RAPD and AFLP molecular markers 1083
Spencer D → Wu HX
Spielmeyer W, Green AG, Bittisnich D, Mendham N, Lagudah ES: Identification of quantitative trait loci contributing to Fusarium with resistance on an AFLP linkage map of flax (*Linum usitatissimum*) 633
Srinivasan K, Malathi VG, Kirti PB, Prakash S, Chopra VL: Generation and characterisation of monosomic chromosome addition lines of *Brassica campestris – B. oxyrrhina* 976
Steinkellner H → Barreneche T
Steinkellner H → Sefc KM
Stephenson P, Bryan G, Kirby J, Collins A, Devos K, Busso C, Gale M: Fifty new microsatellite loci for the wheat genetic map 946
Stettler RF → Wu R
Stølen O → Wagoire WW
Stracke S, Börner A: Molecular mapping of the photoperiod response gene ea_7 in barley 797
Strashnyuk NM → Blume YB
Streiff R → Barreneche T
Struss D → Plieske J
Struss D, Plieske J: The use of microsatellite markers for detection of genetic diversity in barley populations 308
Sutka J → Sarma RN
Suyama Y → Yoshimaru H
Suzuki M → Tsugawa H
Swan GEL → Bradshaw JE
Sy AA → Albar L
Szewc-McFadden AK → Hokanson SC

Takano T → Matsumura H
Takeda G → Matsumura H
Taller J, Hirata Y, Yagishita N, Kita M, Ogata S: Graft-induced genetic changes and the inheritance of several characteristics in pepper (*Capsicum annuum* L.) 705
Tamhankar SA → Naik S
Tan XL, Vanavichit A, Amornsilpa S, Trangoonrung S: Genetic analysis of rice CMS-WA fertility restoration based on QTL mapping 994
Tanksley S → Bernacchi D
Tanksley SD → Doganlar S
Tanzarella OA → Blanco A
Taramino G → Pejic I
Tarchini R → Brondani RPV
Tartarini S → Maliepaard C
Tassi F → Spada A
Taurick G → Havey MJ
Taylor C, Shepherd KW, Langridge P: A molecular genetic map of the long arm of chromosome 6R of rye incorporating the cereal cyst nematode resistance gene, *CreR* 1000
Tekeoglu M → Ratnaparkhe MB
Temesgen B → Harry DE
Tersac M → Sossey-Alaoui K
Testolin R → Huang W-G
Thelen H → Schäfer-Pregl R
This P → Lahogue F
Thomas JB → Chen Q
Thompson EA, Meagher TR: Genetic linkage in the estimation of pairwise relationship 857
Tixier MH, Sourdille P, Charmet G, Gay G, Jaby C, Cadalen T, Bernard S, Nicolas N, Bernard M: Detection of QTLs for crossability in wheat using a doubled-haploid population 1076
Todd D → Bradshaw JE
Tohme J → Chavarriaga-Aguirre P
Tohme J → Freyre R
Tomaru N → Yoshimaru H
Töpsch S → Lahaye T
Torrizo L → Datta K
Toumi L, Lumaret R: Allozyme variation in cork oak (*Quercus suber* L.): the role of phylogeography and genetic introgression by other Mediterranean oak species and human activities 647
Trangoonrung S → Tan XL
Tranquilli G → Dubcovsky J
Travis SE, Ritland K, Whitham TG, Keim P: A Genetic linkage map of Pinyon pine (*Pinus edulis*) based on amplified fragment length polymorphisms 871
Trontin J-F → Barreneche T
Trouche G → Rami J-F
Truco MJ → Joobeur T
Tsai S-M → Freyre R
Tsugawa H, Otsuki Y, Suzuki M: Efficient transformation of rice protoplasts mediated by a synthetic polycationic amino polymer 1019
Tsumura Y → Yoshimaru H
Tsurumi K → Yoshimaru H
Tsutsumi N → Kusaka M
Tu J → Datta K
Tu J, Ona I, Zhang Q, Mew TW, Khush GS, Datta SK: Transgenic rice variety 'IR72' with *Xa21* is resistant to bacterial blight 31
Tuberosa R, Sanguineti MC, Landi P, Salvi S, Casarini E, Conti S: RFLP mapping of quantitative trait loci controlling abscisic acid concentration in leaves of drought-stressed maize (*Zea mays* L.) 744
Turbanti L → Bettini P

Uchimiya H → Matsumura H
Udupa SM, Weigand F, Saxena MC, Kahl G: Genotyping with RAPD and microsatellite markers resolves pathotype diversity in the ascochyta blight pathogen of chickpea 299
Uhlig J → Bernacchi D
Ukai Y → Cheng R

Valkov V → Batchvarova R
Vallejos CE → Freyre R
Van Deynze AE, Sorrells ME, Park WD, Ayres NM, Fu H, Cartinhour SW, Paul E, McCouch SR: Anchor probes for comparative mapping of grass genera 356
Vanavichit A → Tan XL
Varughese G → Inagaki MN
Vasquez A → Datta K
Vencill WK → Mian MAR
Vendramin GG, Anzidei M, Madaghiele A, Bucci G: Distribution of genetic diversity in *Pinus pinaster* Ait. as revealed by chloroplast microsatellites 456
Vendramin GG → Bettini P
Venkatachalam SR → Chowdari KV
Verde I → Joobeur T
Verhaegh JJ → Maliepaard C
Vicente MC de → Joobeur T
Vinatzer BA, Zhang H-B, Sansavini S: Construction and characterization of a bacterial artificial chromosome library of apple 1183
Viruel MA → Joobeur T
Visser D → Bredemeijer GMM
Vosman B → Bredemeijer GMM
Voss H → Kleine M
Voylokov AV, Korzun V, Börner A: Mapping of three self-fertility mutations in rye (*Secale cereale* L.) using RFLP, isozyme and morphological markers 147
Vrielink-van Ginkel M → Maliepaard C

Wagoire WW, Stølen O, Hill J, Ortiz R: Inheritance of adult field resistance to yellow rust disease among broad-based hexaploid spring wheat germplasm 502
Walkemeier B → Schäfer-Pregl R
Walther U → Ivandic V
Wang D, Karle R, Brettin TS, Iezzoni AF: Genetic linkage map in sour cherry using RFLP markers 1217
Wang J-K → Gai J-Y
Wang J, Liu KD, Xu CG, Li XH, Zhang Q: The high level of wide-compatibility of variety 'Dular' has a complex genetic basis 407
Wang SL → Qi LL
Wang XM → Shen YW
Wathelet B → Zoro Bi I
Waugh R → Bradshaw JE
Weber M → Dumont-BéBoux N
Weigand F → Udupa SM
Weller JI → Ronin YI

Werner-Fraczek JE, Close TJ: Genetic studies of Triticeae dehydrins: assignment of seed proteins and a regulatory factor to map positions 220
Wheeler NC → Jermstad KD
Whitham TG → Travis SE
Wilson RN → Bradshaw JE
Wisman E → Baumann E
Wissuwa M, Yano M, Ae N: Mapping of QTLs for phosphorus-deficiency tolerance in rice (*Oryza sativa* L.) 777
Wittemann S → Oberwalder B
Wolyn DJ → Chahal A
Wouters D → Bredemeijer GMM
Wu HX, Matheson AC, Spencer D: Inbreeding in *Pinus radiata*. I. The effect of inbreeding on growth, survival and variance 1256
Wu P → Ni JJ
Wu P → Yan JQ
Wu R, Bradshaw Jr. HD, Stettler RF: Developmental quantitative genetics of growth in *Populus* 1110

Xu CG → Wang J

Yagishita N → Taller J
Yamamoto M → Raina SN
Yamamoto T, Kuboki Y, Lin SY, Sasaki T, Yano M: Fine mapping of quantitative trait loci *Hd-1, Hd-2* and *Hd-3*, controlling heading date of rice, as single Mendelian factors 37
Yan JQ, Zhu J, He CX, Benmoussa M, Wu P: Quantitative trait loci analysis for the developmental behavior of tiller number in rice (*Oryza sativa* L.) 267
Yang D, Sanchez A, Khush GS, Zhu Y, Huang N: Construction of a BAC contig containing the *xa5* locus in rice 1120
Yang Z-L → Dvorak J
Yano M → Lahaye T
Yano M → Wissuwa M
Yano M → Yamamoto T
Yencho GC, Kowalski SP, Kobayashi RS, Sinden SL, Bonierbale MW, Deahl KL: QTL mapping of foliar glycoalkaloid aglycones in *Solanum tuberosum* × *S. berthaultii* potato progenies: quantitative variation and plant secondary metabolism 563
Yoshimaru H, Ohba K, Tsurumi K, Tomaru N, Murai M, Mukai Y, Suyama Y, Tsumura Y, Kawahara T, Sakamaki Y: Detection of quantitative trait loci for juvenile growth, flower bearing and rooting ability based on a linkage map of sugi (*Cryptomeria japonica* D. Don) 45
Young KA → Larson SR

Zamir D → Bernacchi D
Zethof J → Barcaccia G
Zhang H-B → Dvorak J
Zhang H-B → Vinatzer BA
Zhang Q → Tu J
Zhang Q → Wang J
Zheng KL → Shen YW
Zhu J → Yan JQ
Zhu Y → Yang D
Zhuang JY → Shen YW
Ziegenhagen B → Marchelli P
Zoro Bi I, Maquet A, Degreef J, Wathelet B, Baudoin JP: Sample size for collecting seeds in germplasm conservation: the case of the Lima bean (*Phaseolus lunatus* L.) 187

Acknowledgements

The editors wish to thank the following referees for their assistance and evaluation of manuscripts submitted

J. Anderson (Pullman, USA)
A. M. Aniol (Warszawa, Poland)
S. Arulsekar (Davis, USA)
P. Arus (Barcelona, Spain)
V. Baird (Clemson, USA)
N. Bascomb (Princeton, USA)
R. Bernardo (West Lafayette, USA)
H. Binding (Kiel, Germany)
T. Blake (Bozeman, USA)
N. Borysjuk (New Brunswick, USA)
T. Bradshaw (Seattle, USA)
J. E. Carlson (University Park, PA, USA)
C. D. Chase (Gainesville, USA)
J. Costa (College Park, MD, USA)
P. B. Cregan (Beltsville, USA)
P. Dale (Norwich, UK)
T. Debener (Ahrensburg, Germany)
M. Delseny (Perpignan, France)
E. Dirlewanger (Bordeaux, France)
R. Doerge (West Lafayette, USA)
R. L. Dondrick (Saucier, USA)
L. L. Dornier (Urbana, USA)
D. Douches (East Lansing, USA)
R. D'Ovidio (Tuscia, Italy)
J. Dubcovsky (Davis, USA)
J. Dvorak (Davis, USA)
I. Dweikat (West Lafayette, USA)
N. Ellis (Norwich, UK)
M. Feldman (Rehovot, Israel)
J. Forster (Victoria, Australia)
B. Friebe (Manhattan, USA)
M. Ganal (Gatersleben, Germany)
C. Gebhardt (Köln, Germany)
G. Gengenbach (St. Paul, USA)
K. Gill (Lincoln, USA)
D. Gleba (New Brunswick, USA)
R. Hanneman (Madison, USA)
M. Havey (Madison, USA)
A. Hayes (Blacksburg, USA)
V. Hemleben (Tübingen, Germany)
S. Hulbert (Kansas, USA)
M. Humphreys (Aberystwyth, UK)
L. R. Joppa (Fargo, USA)
G. Kahl (Frankfurt, Germany)
P. Keim (Flagstaff, USA)
G. S. Khush (Los Banos, Philippines)
K. Kidwell (Pullman, USA)
S. J. Knapp (Corvallis, USA)
R. Koebner (Norwich, UK)
K. Krutovskii (Corvallis, USA)
N. Lapitan (Fort Collins, USA)
E. Lagudah (Canberra, Australia)
W. F. Lamboy (Geneva, USA)
Z. Li (College Station, TX, USA)
W. Link (Göttingen, Germany)
B.-H. Liu (Raleigh, USA)
H. Lörz (Hamburg, Germany)
A. Lössl (Freising, Germany)
S. Mackenzie (West Lafayette, USA)
J. Mac Key (Uppsala, Sweden)
D. Mackill (Davis, USA)
B. Matthews (Beltsville, USA)
A. E. Melchinger (Stuttgart, Germany)
T. Miedaner (Stuttgart, Germany)
N. Miyashita (Hong Kong, China)
V. Mohler (Freising, Germany)
M. Morgante (Newark, USA)
L. Navarro (Valencia, Spain)
L. O'Donoughue (Quebec, Canada)
T. C. Osborn (Madison, USA)
A. Paterson (College Station, TX, USA)
G. Peiretti (Freising, Germany)
J. Peterson (Lincoln, USA)
N. Pogrebnyak (Princeton, USA)
N. Polans (Illinois, USA)
A. Prakash (Columbia, USA)
F. Quetier (Evry, France)
C. F. Quiros (Davis, USA)
I. Raskin (New Brunswick, USA)
B. V. S. Reddy (Haiderabad, India)
J. Romero-Severson (Notre Dame, USA)
K. F. Schertz (College Station, TX, USA)
K. Shepherd (Glen Osmond, Australia)
C. Simon (Pullman, USA)
K. C. Sink (East Lansing, USA)
H. Skorupska (Clemson, USA)
B. Sobral (Santa Fe, Mexico)
A. S. Sonnenberg (Wageningen, Netherlands)
M. F. Sorrells (Ithaca, USA)
B. Staskawicz (Berkeley, USA)
C. Stricker (Zürich, Switzerland)
C. W. Stuber (Raleigh, USA)
L. Talbert (Bozeman, USA)
H. V. Tang (Gainesville, USA)
R. Töpfer (Siebeldingen, Germany)
P. Touzet (Lille, France)
S. S. Virmani (Los Banos, Philippines)
G. Volckaert (Leuven, Belgium)
D. von Wettstein (Pullman, USA)
G. Waines (Riverside, USA)
K. Walker-Simmons (Pullman, USA)
H. Walther (Grünbach, Germany)
R. C. Wang (Logan, USA)
N. Weeden (Geneva, USA)
P. Wehling (Groß Lüsewitz, Germany)
K. Weising (Frankfurt, Germany)
R. P. Wise (Ames, USA)
G. Wricke (Hannover, Germany)
N. Young (St. Paul, USA)
F. Zeller (Freising, Germany)

as well as the assistance of Mrs. Ritta Wehrer at the editorial office.